

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-On-On	SP3T SP in DP case	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-306</u>	
On-On-On	SP3T SP in DP case	15A 125VAC, 12A 250VAC or 5A 25VDC, UL for 10 Amp ONLY	Brass/Nickel Plate	Solder Lug/QC	<u>54-362</u>	
On-On-On	SP3T SP in DP case	15A 125VAC, 12A 250VAC or 5A 25VDC, UL for 10 Amp ONLY	Brass/Nickel Plate	Screw	<u>54-371</u>	
On-On	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-323</u>	
On-On	3PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-323E</u>	
On-On	3PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-323PC</u>	
On-On	3PST	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC, 1, 2 or 3 Phase	Brass/Nickel Plate	Screw	<u>54-016</u>	
On-On	4PDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC, 1, 2 or 3 Phase	Brass/Nickel Plate	Screw	<u>54-019</u>	
On-On	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-312</u>	
On-On	4PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-312E</u>	
On-On	4PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-312PC</u>	
On-On	DPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-003</u>	
On-On	DPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	Saddle Clamp & Screw	<u>54-027</u>	
On-On	DPDT	6A 125VAC, 3A 250VAC, 1/4 HP 125-250VAC	Paddle Black Polycarbonate	Solder Lug	<u>54-084</u>	
On-On	DPDT	10A 277VAC, 20A 125VAC, 1 1/2 HP 125-250VAC	Brass/Nickel Plate	Screw	<u>54-099</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-On	DPDT	20A 125-277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Paddle Black Polycarbonate	.250 Tab (QC)	<u>54-108</u>	
On-On	DPDT	3A 120VAC or 28VDC, 1.5A 250VAC	Submini Chrome Plt Brass	Solder Lug	<u>54-142</u>	
On-On	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-307E</u>	
On-On	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-307PC</u>	
On-On	DPDT	6A 125VAC, 4A 250VAC	Paddle Blk Polyamide 6-6	Solder Lug/QC	<u>54-321</u>	
On-On	DPDT	15A 250VAC or 10A 24VDC, 15A 12VDC	Brass/Nickel Plate	Solder Lug/QC	<u>54-360</u>	
On-On	DPDT	16A 250VAC, 1 HP	Brass/Nickel Plate	.250 Tab (QC)	<u>54-360W</u>	
On-On	DPDT	15A 250VAC or 10A 24VDC, 15A 12VDC, UL for 12 Amp ONLY	Brass/Nickel Plate	Screw	<u>54-369</u>	
On-On	DPDT	16A 250VAC, 1 HP	Brass/Nickel Plate	Screw	<u>54-369W</u>	
On-On	DPDT	20A 125VAC, 10A 250VAC, 1 HP 125-250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-591</u>	
On-On	DPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Nickel Plated Brass	Screw	<u>54-603</u>	
On-On	DPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-607</u>	
On-On	DPDT	3A 125VAC, 1.5A 250VAC	Copper Alloy/Ni Plate	Solder Lug	<u>54-718</u>	
On-On	DPDT	10A 125VAC, 6A 250VAC	Paddle Black ABS Resin	Solder Lug	<u>54-728</u>	
On-On	SPDT	20A 125VAC, 10A 250VAC, 1 1/2 HP 125-250VAC	Paddle Black Nylon	.250 Tab (QC)	<u>54-021</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-On	SPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	3 in 1 Comb	<u>54-024</u>	
On-On	SPDT	6A 125VAC, 3A 250VAC, 1/4 HP 120–240VAC	Brass/Nickel Plate	Screw	<u>54-096</u>	
On-On	SPDT	10A 125VAC, 5A 250VAC, 1/2 HP 125–250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-098</u>	
On-On	SPDT	20A 125-277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Paddle Black Polycarbonate	Screw	<u>54-111</u>	
On-On	SPDT	3A 120VAC or 28VDC, 1.5A 250VAC	Submini Chrome Plt Brass	Solder Lug	<u>54-141</u>	
On-On	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-302E</u>	
On-On	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-302PC</u>	
On-On	SPDT	6A 125VAC, 4A 250VAC	Paddle Blk Polyamide 6-6	Solder Lug/QC	<u>54-317</u>	
On-On	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-328</u>	
On-On	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-333</u>	
On-On	SPDT	15A 250VAC or 10A 24VDC	Nickel Plated Brass	Solder Lug/QC	<u>54-349</u>	
On-On	SPDT	16A 277VAC, 1 HP	Brass/Nickel Plate	.250 Tab (QC)	<u>54-349W</u>	
On-On	SPDT	15A 250VAC or 10A 24VDC	Nickel Plated Brass	Screw	<u>54-355</u>	
On-On	SPDT	16A 277VAC, 1 HP, UL for 12 Amp ONLY	Brass/Nickel Plate	Screw	<u>54-355W</u>	
On-On	SPDT	20A 12VDC	Black Brushed Aluminum	.250 Tab (QC)	<u>54-571-2</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-On	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-582</u>	
On-On	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-596</u>	
On-On	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-613</u>	
On-On	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-622</u>	
On-On	SPDT	6A 125VAC, 3A 250VAC	Round Nickel Plated Copper Alloy	Solder Lug	<u>54-722</u>	
On-On	SPDT	6A 125VAC, 3A 250VAC	Paddle Black Nylon	Solder Lug	<u>54-723</u>	
On-Off-On	3PDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC, 1, 2 or 3 Phase	Brass/Nickel Plate	Screw	<u>54-015</u>	
On-Off-On	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-324</u>	
On-Off-On	3PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-324E</u>	
On-Off-On	3PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-324PC</u>	
On-Off-On	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-339</u>	
On-Off-On	4PDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC, 1, 2 or 3 Phase	Brass/Nickel Plate	Screw	<u>54-017</u>	
On-Off-On	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-313</u>	
On-Off-On	4PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-313E</u>	
On-Off-On	4PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-313PC</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off-On	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-344</u>	
On-Off-On	DPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-012</u>	
On-Off-On	DPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	Screw	<u>54-013</u>	
On-Off-On	DPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	Saddle Clamp & Screw	<u>54-028</u>	
On-Off-On	DPDT	6A 125VAC, 3A 250VAC, 1/4 HP 125-250VAC	Paddle Black Polycarbonate	Solder Lug	<u>54-085</u>	
On-Off-On	DPDT	20A 125-277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Brass/Nickel Plate	Screw	<u>54-100</u>	
On-Off-On	DPDT	20A 125-277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Paddle Black Polycarbonate	.250 Tab (QC)	<u>54-109</u>	
On-Off-On	DPDT	20A 125-277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Paddle Black Polycarbonate	Screw	<u>54-120</u>	
On-Off-On	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-308E</u>	
On-Off-On	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-308PC</u>	
On-Off-On	DPDT	6A 125VAC, 4A 250VAC	Paddle Blk Polyamide 6-6	Solder Lug/QC	<u>54-322</u>	
On-Off-On	DPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-334</u>	
On-Off-On	DPDT	10A 125-250VAC, 1/2HP	Brass/Nickel Plate	Solder Lug/QC	<u>54-361</u>	
On-Off-On	DPDT	16A 250VAC, 1 HP	Brass/Nickel Plate	.250 Tab (QC)	<u>54-361W</u>	
On-Off-On	DPDT	15A 250VAC, UL for 10 Amp ONLY	Brass/Nickel Plate	Screw	<u>54-370</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off-On	DPDT	16A 250VAC, 1 HP	Brass/Nickel Plate	Screw	<u>54-370W</u>	
On-Off-On	DPDT	6A 250VAC	Paddle Black ABS Resin	Solder Lug	<u>54-381</u>	
On-Off-On	DPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-592</u>	
On-Off-On	DPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-604</u>	
On-Off-On	DPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-608</u>	
On-Off-On	DPDT	10A 125VAC, 6A 250VAC	Paddle Red ABS Resin	Solder Lug	<u>54-729</u>	
On-Off-On	DPDT	20A 12VDC	Paddle Black ABS Resin	.250 Tab (QC)	<u>54-732</u>	
On-Off-On	SPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-009</u>	
On-Off-On	SPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-010</u>	
On-Off-On	SPDT	20A 125VAC, 10A 250VAC, 1 1/2 HP 125–250VAC	Paddle Black Nylon	.250 Tab (QC)	<u>54-022</u>	
On-Off-On	SPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	3 in 1 Comb	<u>54-025</u>	
On-Off-On	SPDT	20A 125–277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Brass/Nickel Plate	Screw	<u>54-095</u>	
On-Off-On	SPDT	20A 125–277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Paddle Black Polycarbonate	.250 Tab (QC)	<u>54-119</u>	
On-Off-On	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-303</u>	
On-Off-On	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-303E</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off-On	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-303PC</u>	
On-Off-On	SPDT	6A 125VAC, 4A 250VAC	Paddle Blk Polyamide 6-6	Solder Lug/QC	<u>54-318</u>	
On-Off-On	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-329</u>	
On-Off-On	SPDT	15A 250VAC	Nickel Plated Brass	Solder Lug/QC	<u>54-350</u>	
On-Off-On	SPDT	16A 277VAC, 1 HP	Brass/Nickel Plate	.250 Tab (QC)	<u>54-350W</u>	
On-Off-On	SPDT	15A 250VAC	Nickel Plated Brass	Screw	<u>54-356</u>	
On-Off-On	SPDT	16A 277VAC, 1 HP	Brass/Nickel Plate	Screw	<u>54-356W</u>	
On-Off-On	SPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-459</u>	
On-Off-On	SPDT	6A 250VAC	Paddle Chrome Plated	Screw	<u>54-565</u>	
On-Off-On	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125-250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-583</u>	
On-Off-On	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125-250VAC	Nickel Plated Brass	Screw	<u>54-597</u>	
On-Off-On	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Nickel Plated Brass	Screw	<u>54-614</u>	
On-Off-On	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-623</u>	
On-Off-On	SPDT	6A 125VAC, 3A 250VAC	Paddle Black Nylon	Solder Lug	<u>54-725</u>	
On-Off-On	SPDT	10A 125VAC, 6A 250VAC	Paddle Black ABS Resin	Solder Lug	<u>54-730</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off-(On)	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-326</u>	
On-Off-(On)	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-341</u>	
On-Off-(On)	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-315</u>	
On-Off-(On)	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-346</u>	
On-Off-(On)	DPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-310</u>	
On-Off-(On)	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-310E</u>	
On-Off-(On)	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-310PC</u>	
On-Off-(On)	DPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-336</u>	
On-Off-(On)	DPDT	15A 125VAC, 12A 250VAC or 5A 25VDC, UL for 10 Amp ONLY	Brass/Nickel Plate	Solder Lug/QC	<u>54-365</u>	
On-Off-(On)	DPDT	15A 125VAC, 12A 250VAC or 5A 25VDC, UL for 12 Amp ONLY	Brass/Nickel Plate	Screw	<u>54-374</u>	
On-Off-(On)	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-304</u>	
On-Off-(On)	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-304E</u>	
On-Off-(On)	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-304PC</u>	
On-Off-(On)	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-331</u>	
On-Off-(On)	SPDT	15A 125VAC, 12A 250VAC or 5A 25VDC	Nickel Plated Brass	Solder Lug/QC	<u>54-353</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off-(On)	SPDT	15A 125VAC, 12A 250VAC or 5A 25VDC	Nickel Plated Brass	Screw	<u>54-359</u>	
On-Off	DPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-004</u>	
On-Off	DPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-011</u>	
On-Off	DPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Saddle Clamp & Screw	<u>54-026</u>	
On-Off	DPST	16A 125VAC, 8A 250VAC, 1 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-055</u>	
On-Off	DPST	20A 125VAC, 10A 250VAC, 1 1/2 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-057</u>	
On-Off	DPST	20A 125-277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Paddle Black Polycarbonate	.250 Tab (QC)	<u>54-107</u>	
On-Off	DPST	20A 125-277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Paddle Black Polycarbonate	Screw	<u>54-112</u>	
On-Off	DPST	6A 125VAC, 4A 250VAC	Paddle Blk Polyamide 6-6	Solder Lug/QC	<u>54-320</u>	
On-Off	DPST	15A 250VAC or 10A 24VDC, 15A 12VDC	Brass/Nickel Plate	Solder Lug/QC	<u>54-366</u>	
On-Off	DPST	20A 277VAC, 1 HP	Brass/Nickel Plate	.250 Tab (QC)	<u>54-366W</u>	
On-Off	DPST	15A 250VAC or 10A 24VDC, 15A 12VDC	Brass/Nickel Plate	Screw	<u>54-367</u>	
On-Off	DPST	20A 277VAC, 1 HP	Brass/Nickel Plate	Screw	<u>54-367W</u>	
On-Off	DPST	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-590</u>	
On-Off	DPST	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-602</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off	DPST	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-606</u>	
On-Off	SPDT	6A 125VAC, 4A 250VAC	Paddle Blk Polyamide 6-6	Solder Lug/QC	<u>54-319</u>	
On-Off	SPST	20A 125VAC, 10A 250VAC, 1 1/2 HP 125–250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-005</u>	
On-Off	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Solder Lug	<u>54-006</u>	
On-Off	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-007</u>	
On-Off	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-008</u>	
On-Off	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	3 in 1 Comb	<u>54-023</u>	
On-Off	SPST	16A 125VAC, 8A 250VAC, 1 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-056</u>	
On-Off	SPST	6A 125VAC, 3A 250VAC, AC/DC	Nickel Plated Brass	Solder Lug	<u>54-070</u>	
On-Off	SPST	6A 125VAC, 3A 250VAC, AC/DC	Nickel Plated Brass	Screw	<u>54-071</u>	
On-Off	SPST	20A 125–277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Brass/Nickel Plate	Screw	<u>54-093</u>	
On-Off	SPST	20A 125-277VAC, 1 1/2 HP 125VAC, 2 HP 250VAC	Paddle Black Polycarbonate	Screw	<u>54-110</u>	
On-Off	SPST	3A 120VAC or 28VDC, 1.5A 250VAC	Submini Chrome Plt Brass	Solder Lug	<u>54-140</u>	
On-Off	SPST	6A 125VAC, 3A 250VAC, 1/4 HP 120–240VAC	Brass/Nickel Plate	Screw	<u>54-143</u>	
On-Off	SPST	15A 250VAC or 10A 24VDC	Nickel Plated Brass	Solder Lug/QC	<u>54-348</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off	SPST	20A 277VAC, 1 HP, UL for 16 Amp ONLY	Brass/Nickel Plate	.250 Tab (QC)	<u>54-348W</u>	
On-Off	SPST	15A 250VAC or 10A 24VDC	Nickel Plated Brass	Screw	<u>54-354</u>	
On-Off	SPST	20A 277VAC, 1 HP	Brass/Nickel Plate	Screw	<u>54-354W</u>	
On-Off	SPST	5A 120VAC or 28VDC, 2A 250VAC	Submini Chrome Plt Brass	Solder Lug	<u>54-395</u>	
On-Off	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	Screw	<u>54-456</u>	
On-Off	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-458</u>	
On-Off	SPST	50A 12VDC	Paddle ABS, Black	Screw	<u>54-560</u>	
On-Off	SPST	50A 12VDC	Paddle ABS, Red	Screw	<u>54-561</u>	
On-Off	SPST	50A 12VDC	Paddle ABS, Chrome Plt	Screw	<u>54-562</u>	
On-Off	SPST	50A 12VDC	Paddle Chrome Plated	Screw	<u>54-563</u>	
On-Off	SPST	50A 12VDC	Chrome Plated	Screw	<u>54-564</u>	
On-Off	SPST	20A 12VDC	Black Brushed Aluminum	.250 Tab (QC)	<u>54-566</u>	
On-Off	SPST	20A 12VDC	PC Neon Red	.250 Tab (QC)	<u>54-567</u>	
On-Off	SPST	20A 12VDC	PC Neon Green	.250 Tab (QC)	<u>54-568</u>	
On-Off	SPST	20A 12VDC	PC Neon Amber	.250 Tab (QC)	<u>54-569</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off	SPST	20A 12VDC	PC Neon Blue	.250 Tab (QC)	<u>54-570</u>	
On-Off	SPST	20A 12VDC	Duckbill Black Brushed Aluminum	.250 Tab (QC)	<u>54-571</u>	
On-Off	SPST	20A 12VDC	Duckbill PC Neon Red	.250 Tab (QC)	<u>54-572</u>	
On-Off	SPST	20A 12VDC	Duckbill PC LED Red	.250 Tab (QC)	<u>54-572-L</u>	
On-Off	SPST	20A 12VDC	Duckbill PC Neon Amber	.250 Tab (QC)	<u>54-573</u>	
On-Off	SPST	20A 12VDC	Duckbill PC Neon Blue	.250 Tab (QC)	<u>54-574</u>	
On-Off	SPST	20A 12VDC	Duckbill PC LED Blue	.250 Tab (QC)	<u>54-574-L</u>	
On-Off	SPST	20A 12VDC	Duckbill PC Neon Green	.250 Tab (QC)	<u>54-575</u>	
On-Off	SPST	20A 12VDC	Duckbill PC LED Green	.250 Tab (QC)	<u>54-575-L</u>	
On-Off	SPST	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-579</u>	
On-Off	SPST	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-593</u>	
On-Off	SPST	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-610</u>	
On-Off	SPST	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-619</u>	
On-Off	SPST	20A 12VDC	Transparent PC LED Amber	.250 Tab (QC)	<u>54-705-A</u>	
On-Off	SPST	20A 12VDC	Transparent PC LED Green	.250 Tab (QC)	<u>54-705-G</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-Off	SPST	20A 12VDC	Transparent PC LED Red	.250 Tab (QC)	<u>54-705-R</u>	
On-Off	SPST	20A 12VDC	Metal LED Amber	.250 Tab (QC)	<u>54-706-A</u>	
On-Off	SPST	20A 12VDC	Metal LED Green	.250 Tab (QC)	<u>54-706-G</u>	
On-Off	SPST	20A 12VDC	Metal LED Red	.250 Tab (QC)	<u>54-706-R</u>	
On-Off	SPST	20A 12VDC, 10A 24VDC	PC LED Red	.250 Tab (QC)	<u>54-714</u>	
On-Off	SPST	20A 12VDC, 10A 24VDC	PC LED Red	.250 Tab (QC)	<u>54-715</u>	
On-Off	SPST	20A 12VDC, 10A 24VDC	PC LED Green/Red	.250 Tab (QC)	<u>54-716</u>	
On-Off	SPST	20A 12VDC	PC LED Red / Cover	.250 Tab (QC)	<u>54-721</u>	
On-Off	SPST	10A 125VAC, 6A 250VAC	Paddle Black ABS Resin	Solder Lug	<u>54-727</u>	
On-Off	SPST	10A 125VAC, 6A 250VAC	Chrome Plated Zinc	.250 Tab (QC)	<u>54-738</u>	
On-Off	SPST	6A 125VAC, 3A 250VAC	Nickel Plated Metal	Solder Lug	<u>54-745</u>	
On-Off	SPST	6A 125VAC, 3A 250VAC	Red ABS Resin	Solder Lug	<u>54-745-R</u>	
On-Off	SPST SP in DP case	20A 250VAC	Brass/Nickel Plate	Solder Lug	<u>54-137</u>	
On-(On)	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-327</u>	
On-(On)	3PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-327PC</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-(On)	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-342</u>	
On-(On)	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-316</u>	
On-(On)	4PDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-316PC</u>	
On-(On)	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-347</u>	
On-(On)	DPDT	6A 125VAC, 3A 250VAC, 1/4HP 125–250VAC	Brass/Nickel Plate	Solder Lug	<u>54-101</u>	
On-(On)	DPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-309</u>	
On-(On)	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-309E</u>	
On-(On)	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-309PC</u>	
On-(On)	DPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-337</u>	
On-(On)	SPDT	6A 125VAC, 3A 250VAC, 1/4 HP 120–240VAC	Brass/Nickel Plate	Screw	<u>54-097</u>	
On-(On)	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-301E</u>	
On-(On)	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-301PC</u>	
On-(On)	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-332</u>	
On-(Off)	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-001</u>	
On-(Off)	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-104</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
On-(Off)	SPST	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-581</u>	
On-(Off)	SPST	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-595</u>	
On-(Off)	SPST	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-612</u>	
On-(Off)	SPST	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-621</u>	
Off-On	3PST	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC, 1, 2 or 3 Phase	Brass/Nickel Plate	Screw	<u>54-014</u>	
Off-On	4PST	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC, 1, 2 or 3 Phase	Brass/Nickel Plate	Screw	<u>54-018</u>	
Off-On	SPST	20A 125VAC, 10A 250VAC, 1 1/2 HP 125–250VAC	Paddle Black Nylon	.250 Tab (QC)	<u>54-020</u>	
Off-On	SPST	10A 250VAC, 8A 125VDC, 4A 250VDC, 1/3 HP 125VAC	Brass/Nickel Plate	Wires	<u>54-130</u>	
Off-On	SPST	10A 125VAC; 6A 250VAC	Paddle Nickel Plated Brass	.250 Tab (QC)	<u>54-713</u>	
Off-On	SPST	3A 125VAC, 1.5A 250VAC	Copper Alloy/Ni Plate	Solder Lug	<u>54-717</u>	
Off-On	SPST	6A 125VAC, 3A 250VAC	Paddle Black Nylon	Solder Lug	<u>54-724</u>	
(On)-On	DPDT	15A 125VAC, 12A 250VAC or 5A 25VDC, UL for 10 Amp ONLY	Brass/Nickel Plate	Solder Lug/QC	<u>54-363</u>	
(On)-On	DPDT	15A 125VAC, 12A 250VAC or 5A 25VDC, UL for 10 Amp ONLY	Brass/Nickel Plate	Screw	<u>54-372</u>	
(On)-On	SPDT	15A 125VAC, 12A 250VAC or 5A 25VDC	Nickel Plated Brass	Solder Lug/QC	<u>54-351</u>	
(On)-On	SPDT	15A 125VAC, 12A 250VAC or 5A 25VDC	Nickel Plated Brass	Screw	<u>54-357</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
(On)-On	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-584</u>	
(On)-On	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-598</u>	
(On)-On	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-615</u>	
(On)-On	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-624</u>	
(On)-On	SPDT	6A 125VAC, 3A 250VAC	Paddle Black Nylon	Solder Lug	<u>54-726</u>	
(On)-Off-On	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-585</u>	
(On)-Off-On	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-599</u>	
(On)-Off-On	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-616</u>	
(On)-Off-On	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-625</u>	
(On)-Off-(On)	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-325</u>	
(On)-Off-(On)	3PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-340</u>	
(On)-Off-(On)	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-314</u>	
(On)-Off-(On)	4PDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-345</u>	
(On)-Off-(On)	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-311E</u>	
(On)-Off-(On)	DPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-311PC</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
(On)-Off-(On)	DPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-335</u>	
(On)-Off-(On)	DPDT	15A 125VAC, 12A 250VAC or 5A 25VDC, UL for 10 Amp ONLY	Brass/Nickel Plate	Solder Lug/QC	<u>54-364</u>	
(On)-Off-(On)	DPDT	16A 250VAC, 1 HP	Brass/Nickel Plate	.250 Tab (QC)	<u>54-364W</u>	
(On)-Off-(On)	DPDT	15A 125VAC, 12A 250VAC or 5A 25VDC, UL for 12 Amp ONLY	Brass/Nickel Plate	Screw	<u>54-373</u>	
(On)-Off-(On)	DPDT	16A 250VAC, 1 HP	Brass/Nickel Plate	Screw	<u>54-373W</u>	
(On)-Off-(On)	DPDT	20A 12VDC	Paddle Black ABS Resin	.250 Tab (QC)	<u>54-731</u>	
(On)-Off-(On)	SPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125-250VAC	Brass/Nickel Plate	Screw	<u>54-002</u>	
(On)-Off-(On)	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Mini Chrome Plated Brass	Solder Lug	<u>54-305</u>	
(On)-Off-(On)	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	PC Mount	<u>54-305PC</u>	
(On)-Off-(On)	SPDT	5A 120VAC or 28VDC, 2A 250VAC	Mini Chrome Plated Brass	Solder Lug	<u>54-305E</u>	
(On)-Off-(On)	SPDT	6A 125VAC, 3A 250VAC or 4A 30VDC	Flat Chrome Plated Brass	Solder Lug	<u>54-330</u>	
(On)-Off-(On)	SPDT	15A 125VAC, 12A 250VAC or 5A 25VDC	Nickel Plated Brass	Solder Lug/QC	<u>54-352</u>	
(On)-Off-(On)	SPDT	16A 277VAC, 1 HP, UL for 12 Amp ONLY	Brass/Nickel Plate	.250 Tab (QC)	<u>54-352W</u>	
(On)-Off-(On)	SPDT	15A 125VAC, 12A 250VAC or 5A 25VDC	Nickel Plated Brass	Screw	<u>54-358</u>	
(On)-Off-(On)	SPDT	16A 277VAC, 1 HP, UL for 12 Amp ONLY	Brass/Nickel Plate	Screw	<u>54-358W</u>	

Action	Circuitry	Current Rating	Actuator	Terminals	Part#	
(On)-Off-(On)	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-586</u>	
(On)-Off-(On)	SPDT	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-600</u>	
(On)-Off-(On)	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-617</u>	
(On)-Off-(On)	SPDT	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-626</u>	
(On)-Off-(On)	SPDT	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	.250 Tab (QC)	<u>54-659</u>	
(On)-Off	SPST	6A 125VAC, 3A 250VAC, 1/4 HP 120–240VAC	Brass/Nickel Plate	Screw	<u>54-094</u>	
(On)-Off	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-103</u>	
(On)-Off	SPST	15A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Brass/Nickel Plate	Screw	<u>54-457</u>	
(On)-Off	SPST	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-580</u>	
(On)-Off	SPST	20A 125VAC, 10A 250VAC, 1 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-594</u>	
(On)-Off	SPST	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	Screw	<u>54-611</u>	
(On)-Off	SPST	20A 125VAC, 10A 250VAC, 3/4 HP 125–250VAC	Nickel Plated Brass	.250 Tab (QC)	<u>54-620</u>	